1 - 1 -	09/15/00	jc921 U.S. I
		3

- 18-00	A
	S. PTO 52617
Approved for use through 09/30/	PTO/SB/05 (4/98 2 2000. OMB 0651-003

Please type a p	olus sign (+) inside this box → +			Ap Patent and Tra	proved for use the	PTO/SB/05 (4/98) rough 09/30/2000. OMB 0851-003 S. DEPARTMENT OF COMMERCE				
Under the Pape		ns are required to res	Approved for use through 09/30/2000. OMB 0851-003 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE to respond to a collection of information unless it displays a valid OMB control number Attorney Docket No. IR25 U.S.							
l	UTILITY	_								
PA	TENT APPLICATION	, N								
(Oat. 6	TRANSMITTAL nonprovisional applications under 37 C		THE THE WILLIAM STORY OF STORY AND WILLIAMS							
Colly for new i	nonprovisional applications under 37 C	F.R. § 1.53(b)) EXP	ress	Maii Label No.						
See MPEP ch	APPLICATION ELEMENTS hapter 600 concerning utility patent app			ADDRESS T	O: Box Patent	ommissioner for Patents Application DC 20231				
1. X (S	ee Transmittal Form (e.g., PTO, ubmit an original and a duplicate for fe	/SB/17) e processina)		5. Microfich	ne Computer Pr	ogram (Appendix)				
2. X Sp. (pr	pecification [Total referred arrangement set forth below)	Pages 17		(if applicable,	all necessary)	Sequence Submission				
	Descriptive title of the Invention			a c	computer Reada	able Copy				
	Pross References to Related Appli Statement Regarding Fed sponsor			b. F	aper Copy (ide	ntical to computer copy)				
	Reference to Microfiche Appendix			c. S	tatement verify	ing identity of above copies				
	Background of the Invention			ACCOME	PANYING AP	PLICATION PARTS				
	Brief Summary of the Invention Brief Description of the Drawings (if filed)		7. X Assignm	ent Papers (cov	ver sheet & document(s))				
	Detailed Description	ii iiibuy			L§3.73(b) State					
- 0	Daim(s)			(wnen th	ere is an assigr Franciation Doc					
	bstract of the Disclosure			Information Displacement (in applicable)						
		Sheets 9]		10. Statement (IDS)/PTO-1449 Copies of IDS						
4. Oath or I	Declaration [Total	Pages 3]		11. Preliminary Amendment						
a	Newly executed (original or	сору)	- 1		eceipt Postcard be specifically it					
ь.	Copy from a prior application (for continuation/divisional with E	n (37 C.F.R. § 1.63 3ox 16 completed)		* Small E	intity cu	stement filed in prior application,				
	i. DELETION OF INVENT		- 1	(PTO/SB/09-12) Status still proper and desired						
	Signed statement at inventor(s) named in t	he prior application	n, I	14. Certified Copy of Priority Document(s) (if foreign priority is claimed)						
True village	see 37 C.F.R. §§ 1.63 TEMS 1 & 13: IN ORDER TO BE ENTITLED	8(d)(2) and 1.33(b)	_	15. Other:						
IFEES, A SMA	TIEMS 1 & 13: IN ORDER TO BE ENTITLED LL ENTITY STATEMENT IS REQUIRED (37 D IN A PRIOR APPLICATION IS RELIED UP	CER K127) EYCED	7							
	NTINUING APPLICATION, check ontinuation Divisional	Continuation-in-part		ly the requisite inform. of prior applic		a preliminary amendment:				
Prior app	plication information: Examiner		-	C.	nun / Art I feits					
	ATION or DIVISIONAL APPS only: To, is considered a part of the disclos									
reterence. Th	ie incorporation <u>can only</u> be relied t	CORRESPOND	n has	been inadvertently of	mitted from the	submitted application parts.				
		CORRESPOND	ENC	E ADDRESS						
X Custom		24011 nt Customer No. or A	ttach i	bar code label here)	or 🗆 Co	respondence address below				
Name	Kia Silverbrook									
	Silverbrook Research Pty	Ltd								
Address	393 Darling Street									
City	Balmain	State	L	NSW	Zip Code	2041				
Country	AUSTRALIA	Telephone	61	1-2-9818-6633	Fax	61-2-9818-6711				
Name (P	Mia Silverbrook			Registration No.	(Attorney/Agent)					
Signature		>			Date	Sept. 12, 2000				
	tatement: This form is estimated to ta	ke 0.2 hours to com	plete.	. Time will vary depe		eeds of the individual case. Any				

comments on the amount of time you are required to complete this form should be sent to the Chef Information Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, and Trademark Office, Box Patent Application, Washington, DC 20231.

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

> Assistant Commissioner for Patents Washington, D.C. 20231

September 15, 2000 Date

Signature

EVELYN WAI-LIN MAK

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Submitted herewith Utility Patent Application Transmittal and enclosures for an invention entitled "A CAMERA EXCHANGE SYSTEM AND METHOD".

Express Mail Label: EK29488474511\$

Burden Hour Statement: This form is estimated to take 0.01 hours to complete. Time will vary depending upon the needs of the individual case, Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and Tradent Coffice, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents,

PTO/SB/17 (12/99)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
collection of information unless it displays a valid OMB control number

Under the Paperwork Reduction Act of 1995, no persons are requir	ed to r	espond	to a c	Paten ollectio	t and In in of info	ademark Office: U.S. DEPA rmation unless it displays a	ARTMENT	OF COMMERCE control number.	
FEE TRANSMITTAL						mplete if Known			
	-	Application Number			nber				
for FY 2000		Filing Date							
Patent fees are subject to annual revision		First	Nam	ed Inv	entor	KIA SILVERBRO	OK		
Small Entity payments <u>must</u> be supported by a small entity states otherwise large entity fees must be paid. See Forms PTOISB/0s	ment,	Examiner Name							
See 37 C.F.R. §§ 1.27 and 1.28	.,.	_	ıp / A						
TOTAL AMOUNT OF PAYMENT (\$) 385									
		Attor	neyı	Oocket	NO.	IR25US			
METHOD OF PAYMENT (check one)	FEE CALCULATION (continued)								
The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:		DDIT							
Deposit	Fee		Fee	Fee	У	Fee Description		Fee Paid	
Account Number	Cod 105	le (\$)	205	e (\$) 65	Cba			reeraid	
	127	50	200			irge - late filing fee or oath irge - late provisional filing:			
Deposit Account	12/	50	221	25	cover s	inge - late provisional filing sheet.	ree or		
Name	139	130	139	130	Non-Er	glish specification		l i	
Charge Any Additional Fee Required Under 37 CFR §§ 1.16 and 1.17	147	2,520	147	2,520	For filir	ng a request for reexaminat	ion		
	112	920*	112	920°	Reque	sting publication of SIR pric	r to		
2. X Payment Enclosed: X Check Money C Other	113	1.840*	112	1.840	_	er action sting publication of SIR afte			
X Check Order Other		.,			Examir	er action			
FEE CALCULATION	115	110	215	55		on for reply within first mor			
1. BASIC FILING FEE	116	380	216	190		on for reply within second i on for reply within third mo			
Large Entity Small Entity Fee Fee Fee Fee Description		870 1,360	217	435 680		on for reply within fourth m			
Code (\$) Code (\$) Fee Paid		1,850	228			on for reply within fifth mor			
101 690 (201) 345 Utility filling fee 345	119	300		150		on for reply within filth mor of Appeal	inn		
106 310 206 155 Design filling fee	120	300	220	150		brief in support of an appe	al		
101 400 201 240 Flank ming lee	121	260	221	130		t for oral hearing			
108 690 208 345 Reissue filing fee	138		138		Petition	to institute a public use pre	oceeding		
	140	110	240	55	Petition	to revive - unavoidable			
SUBTOTAL (1) (\$) 345	141	1,210	241	605	Petition	to revive - unintentional			
2. EXTRA CLAIM FEES Fee from			242	605		sue fee (or reissue)			
Extra Claims below Fee Paid	143	430	243	215		issue fee			
Independent 3 2** - 0 V 30 0	144	580 130	244 122	290 130	Plant is				
Claims 23 - 0 X 35 - 0	123	50	123	50		s to the Commissioner			
**or number previously paid, if greater; For Reissues, see below	126	240		240		s related to provisional app			
Large Entity Small Entity	581		581	40		sion of Information Disclosi			
Fee Fee Fee Fee Description Code (\$) Code (\$)	551	-10	س	40	Records	ng each patent assignmen (times number of properti-	t per	40	
103 18 (203) 9 Claims in excess of 20	146	690	246	345	Filing a	submission after final rejec			
102 78 202 39 Independent claims in excess of 3	149	690	249	345		R § 1.129(a))			
104 260 204 130 Multiple dependent claim, if not paid	. 10	550	2.0	5-13	examine	h additional invention to be ed (37 CFR § 1.129(b))			
109 78 209 39 ** Reissue independent claims over original patent	Other f	ee (spe	ecify)						
110 18 210 9 ** Reissue claims in excess of 20		ee (spo					-		
			,,,			CURTOTAL (C)			
SUBTOTAL (2) (\$) 0	Reduc	ed by E	Basic	Filing F	ee Paid	SUBTOTAL (3)	(\$)	40	
SUBMITTED BY	_		_			Complete (if appli	cable)		
Name (Print Type) Kia Silverbrook		Registra (Attorney			2401	Telephone 61	-2-9818	-6633	
Signature	-						ptembe	12, 2000	
WARNING:		_	_				F	, _000	

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burdes Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chef Information Officer, Patert and Trademark Office, Weahington, DC 20231. DB NOT Station Tested Sort Conference Profession Conference ADPORESS. SEND 107. Assistant Commissioner for Paterias, Weahington, DC 20231.

PTO/S8/10 (1-99)
Approved for use through 09/30/2000. OMB 085-1093
Patent and Trademark Office; U.S. OEPARTMENT OF COMMERCE

under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information un	U.S. OEPARTMENT OF COMMERC
STATEMENT CLAIMING SMALL ENTITY STATUS	Docket Number (Optional)
(37 CFR 1.9(f) & 1.27(c))SMALL BUSINESS CONCERN	IR25US
Applicant, Patentee, or Identifier; Silverbrook Research Pty Ltd Application or Patent No.: Filed or Issued: September . 2000 Title: A CAMERA EXCHANGE SYSTEM AND METHOD	
I hereby state that I am [X] the conver of the small business concern identified below: an official of the small business concern empowered to act on behalf of the concern empowered to act on behalf of the concern emp	cern identified below:
NAME OF SMALL BUSINESS CONCERN Silverbrook Research Pty. Ltd.	
ADDRESS OF SMALLBUSINESS CONCERN 393 Darling Street, Balmain, NSV	V 2041, Australia
I hereby state that the above identified small business concern qualifies as a small 13 GFR Part 121 for purposes of paying reduced fees to the United States Patent and Tradic size standards for a small business concern may be directed to: Small Business Adm 409 Third Street, SW, Washington, DC 20416.	emark Office Ougetions rolate.
I hereby state that rights under contract or law have been conveyed to and remain videntified above with regard to the invention described in:	vith the small business concer
□XI the specification filed herewith with title as listed above. □ the application identified above. □ the patent identified above.	
If the rights held by the above identified small business concern are not exclusive organization having rights in the invention must file separate statements as to their status to the invention are held by any person, chert have the invention would not qualify as 37 oFR 1.9(c) if that person made the invention, or by any concern which would not qualify under 37 oFR 1.9(d), or a nonpriorit organization under 37 oFR 1.9(d), or an onpriorit organization under 37 oFR 1.9(e).	as small entities, and no righ
Each person, concern, or organization having any rights in the invention is listed be IXI no such person, concern, or organization exists. — each such person, concern, or organization is listed below.	low:
Separate statements are required from each named persprooncern or organization stating their status as small entities. (37 CFR 1.27)	having rights to the invention
I acknowledge the duty to file, in this application or patent, notification of any changentitement to small entity status prior to paying, or at the time of paying, the earliest of the fee due after the date on which status as a small entity is no longer appropriate. (37 CFR	o iccuo foo or one maintana
TITLE OF PERSON IF OTHER THAN OWNER	
ADDRESS OF PERSON SIGNING 393 Darling Street, Balmain, NSW 2041, Aus	tralia
SIGNATURE DATE S	eptember 12, 2000

A CAMERA EXCHANGE SYSTEM AND METHOD

Field of the Invention

This invention relates to a recyclable, one-time use, print on demand, digital camera.

More particularly, the invention relates to a camera exchange system and to a method of
exchanging cameras of the type described.

Background to the Invention

One-time use cameras, making use of conventional photographic film, are becoming increasingly popular. A customer purchases the camera, exposes the film in the camera and returns the entire camera to a processing centre to have the exposed film processed. As far as the customer is concerned, the camera is, in that sense, a disposable camera. At the processing centre, the film is removed from the camera in darkroom conditions and is processed. The camera casing and remaining parts are, where possible, recycled.

We have also proposed the use of printing technology in a digital camera for more upmarket cameras and, in this regard, reference is made to our co-pending US application number 09/113,060 filed July 10, 1998 and entitled "Digital instant printing camera with image processing capability" (Docket Number ART01), the contents of which are specifically incorporated herein by reference.

The type of camera proposed in 09/113,060 is, as indicated, directed at the higher end of the market to compete with existing digital cameras.

We have also proposed, in our co-pending US application number 09/113,102 filed July 10, 1998 and entitled "A low cost disposable digital instant printing camera" (Docket Number IR01), the contents of which are also specifically incorporated herein by reference, a low cost, one-time use digital camera.

While it is believed that this low-cost camera, on its own, is of considerable commercial value, due to the high quality and instant printing of images which can be obtained, a camera exchange system and method are contemplated so that the camera of our co-pending application number 09/113,102 can compete in price with existing disposable, photographic film cameras.

Summary of the Invention

According to a first aspect of the invention, there is provided a camera exchange system which includes

a plurality of one-time use digital cameras, each camera including an authentication means; and

at least one refurbishing station for refurbishing used, returned cameras by replenishing consumables of each of said returned cameras, the authentication means of each camera authenticating whether or not said at least one refurbishing station is authorised to effect refurbishing of said camera.

Each camera may retail at a price of X currency units, each camera costing approximately Y currency units to manufacture where Y is less than 0.5X. In this specification the term "currency unit" is to be understood as US\$1, £1, AU\$1, Japanese Yen100, Italian Lire1000, or the like.

The system may include at least one collection depot where a user can return a used one of the cameras for a refund and a plurality of refurbishing stations operated by a manufacturer for receiving the used cameras from said at least one collection depot, each station being able to be authenticated by said used camera, to replenish the consumables of said used camera to enable a refurbished camera to be re-sold at X currency units, and the cost to said manufacture to refurbish the camera being Z currency units. The refund may be approximately 0.25X and Z may be approximately 0.03X.

The consumables which are replenished may include ink, a supply of paper and batteries of the power supply.

Also, at the time that the camera is refurbished, its outer casing may be removed and recycled. All the internal components of the camera are supported on a chassis which may be inserted into a new, recycled casing after replenishing of the consumables and resetting of a picture counter of the camera. A sleeve is placed about the re-cased camera.

A selling price of either one of a new and a refurbished camera by the manufacturer may be approximately 0.5X.

It is envisaged that, for a return for refund rate of approximately 90% of the cameras, a total gross margin as a percentage of sales exceeding 75% is achievable.

To ensure that the low cost cameras compete with disposable photographic film cameras, a cost to the user of each photo processed by the camera may be less than 0.05X if the user returns a used camera for refund.

According to a second aspect of the invention, there is provided a method of exchanging cameras which includes the steps of:

providing a plurality of one-time use digital cameras, each camera containing consumables which are consumed by use of the camera;

receiving returned, used cameras to be refurbished by replenishment of the consumables to provide refurbished cameras; and

authenticating, via each of said returned cameras, that a refurbishing station at which said camera is refurbished is authorised to effect refurbishing of said camera.

The method may include rendering a camera refurbished by an unauthorised refurbishing station inoperative. Further, the method may include carrying out a test routine after refurbishing to determine if the refurbished camera is operative. The test routine for testing a refurbished camera may automatically test that the camera is operative.

The method may include

selling each camera at a retail price of approximately X currency units, each camera costing approximately Y currency units to manufacture where Y is less than 0.5X;

refunding an amount for the return of a used camera; and

refurbishing each returned, used camera at a cost to a refurbisher of Z currency units.

The method may include refunding an amount of approximately 0.25X for the return of a used camera and Z may be approximately 0.03X.

The method may then include supplying refurbished cameras to a retailer at a cost of approximately 0.5X currency units.

Brief Description of the Drawings

The invention is now described by way of example with reference to the accompanying drawings in which:

Figure 1 shows a flow chart of a camera exchange system, and method of exchanging cameras, in accordance with the invention;

Figure 2 shows a three dimensional view of the type of camera to be exchanged;

 $Figure\ 3\ shows\ a\ three\ dimensional,\ exploded\ view\ of\ an\ ink\ cartridge\ assembly\ of\ the\ camera\ of\ Figure\ 2;$

Figure 4 shows a three dimensional, exploded view of the insertion of a supply of print media and a power supply in the camera during refurbishing thereof;

Figure 5 shows the re-assembly of a chassis of the camera after installation of the supply of print media and power supply;

Figure 6 shows a three dimensional view of the insertion of a platen forming part of the camera;

Figure 7 shows the installation of the re-assembled chassis in a front shell of a casing of the camera:

Figure 8 shows the mounting of a rear shell of the casing on to the front shell;

Figure 9 illustrates a single authentication chip data protocol; and

Figure 10 illustrates a dual authentication chip data protocol.

Detailed Description of the Drawings

Referring initially to Figure 1 of the drawings, a flow chart of a camera exchange system or a method of exchanging cameras is illustrated and is designated generally by the reference numeral 10. The camera in question is a low cost, recyclable, one-time use, print on demand, digital camera 12 (Figure 2) and will be described in greater detail below.

In the exchange system, old cameras are collected, as shown at step 14 at collection depots.

By "old cameras" is meant a camera which has been used by a user to take a predetermined number of pictures. As indicated, the camera 12 is a digital, instant printing camera. Typically, the camera 12 has a supply of print media 16 (Figure 4) for enabling

twenty-five pictures to be printed. For ease of reference, and in accordance with conventional camera technology, these pictures will be referred to as exposures.

In accordance with the camera exchange system of the invention, a camera 12, when new has a manufacturing cost of Y currency units. For ease of explanation, the currency unit used in this description will be the US dollar. At present rates, the manufacturing cost of the camera is estimated to be slightly less than \$10.00 and, more particularly, in the region of about \$9.50. Specifically, a costing analysis reveals that the manufacturing cost of such a camera is in the region of \$9.48.

New cameras are supplied to retailers by the manufacturer at a cost of approximately \$10.00 so that the return to the manufacturer, in respect of new cameras, will be of the order of about 0.5%.

Also, the camera is retailed by the retailer at a cost of \$20.00. When the camera 12 has been used, the old or used camera 12 is returned to the collection depot where a refund of \$5.00 is made to the person returning the camera. As a result, the net price to the consumer is \$15.00. For a twenty five exposure camera 12, the cost to the consumer for each photo is of the order of \$0.60. This equates almost exactly to the present cost of a developed, printed photo taken using a conventional film camera.

Due to the cost of the camera to the consumer, factoring in the refund, and the cost per photo, the consumer, effectively, obtains a digital, instant printing camera at a price similar to that of a disposable, one-time use conventional film camera and the cost of each image or exposure of the digital camera 12 is of the same order as that of the conventional camera.

It will, of course, be appreciated that due to the fact that the camera 12 is a digital camera, it is not necessary for the camera 12 to be returned for processing. Accordingly, an incentive needs to be given for the used cameras 12 to be returned; hence the refund. It is felt that, should adult consumers not bother to return the cameras, it is still likely that children or low income members of the community would return the cameras to obtain the refund.

When the used camera 12 is returned, the camera 12 is refurbished and replenished. The refurbished camera is re-packaged and returned to the retailer.

The approximate cost to the manufacturer of refurbishing a camera 12 is as follows:-

Refill Part or Process	Cost
3.75 meters x 100mm coated paper	\$0.20
Ink (8ml each CMY)	\$0.06
2 x 1.5V AA cells	\$0.20
Recycled molded outer front shell	\$0.02
Recycled molded outer back shell	\$0.02
Paper camera label	\$0.005
Automated retesting	\$0.05
Sealed plastic bag	\$0.005
Cardboard box	\$0.005
Automated packing	\$0.005
Manual sorting and handling	\$0.05
Transport	\$0.05
Total	\$0.670

The manufacturer supplies such a refurbished camera to the retailer at a similar wholesale cost to a new camera, i.e. US\$10.00 so that the gross margin to the manufacturer on refill is of the order of US\$9.33.

Further, it is envisaged that, in due course, the ratio of used cameras which are recycled and returned into the market to new cameras will be of the order of 9:1 assuming an estimated camera return-for-refund rate of 90%. Should this figure be obtained, it is estimated that the total gross margin as a percentage of sales which the manufacturer will achieve will be in the order of 77%.

Due to this rate of return, the business model can weather significant retail price pressure and maintain profitability.

An interesting conclusion is that digital printing cameras can be provided having a lower retail price than non-printing digital cameras.

With reference to Figures 2 to 8 of the drawings, a brief description of the refurbishing of the camera will be described following the steps of Figure 1.

The camera 12 has a casing 18 made up of a front shell 20 and a rear shell or lid 22. The casing 18 has a coated paper sleeve 24 covering a major part thereof. Further, in a

conventional fashion, the camera 12 has a viewfinder 26, an imaging lens 28 and an "exposure" taking button 30.

In the recycling of the camera 12, the casing 18 is removed (step 32 in Figure 1). As illustrated at 34 in Figure 1, the shells 20 and 22 of the casing 18 are sent for recycling and are remolded, as illustrated at 36 to form new shells 20 and 22 of the casing 18 for another camera.

Once the casing 18 has been removed, a chassis 38 of the camera is exposed. The chassis 38 carries all internal components of the camera. For a more detailed description of these components, reference is made to our co-pending US application number 09/113,102 referred to above

The supply of print media 16 is in the form of a roll of coated paper carried on a former 40. It will be appreciated that, once the twenty-five exposures have been made, all that will remain in the used camera 12 is the former 40. An end member 42 of the chassis is removed to enable the former 40 to be removed. The former 40 houses batteries 44 for the camera 12 therein to render the camera 12 compact. Accordingly, when the end member 42 of the chassis 38 has been removed, access can be gained to the used batteries 44 which are replaced by fresh batteries.

Hence, once the end member 42 has been removed and the former 40 and batteries 44 of the old camera 12 have been removed, a new print media supply 16 and batteries 44 are loaded on to the chassis 38 and are retained in position by the end member 42. This is shown at step 46 in Figure 1.

The chassis 38 supports an ink cartridge 48 thereon. An exploded view of the ink cartridge 48 is shown in greater detail in Figure 3 of the drawings. The ink cartridge has a lower carrier 50 which carries the print head chip 52. The print head chip 52 is a Memjet (Memjet is a trade mark of Silverbrook Research Pty Limited). The print head chip 52 is a photowidth or pagewidth print head and prints one line at a time on print media passing beneath the print head chip 52, in use.

The cartridge 48 further includes a cover member 54 which mates with the carrier 50 to define three chambers 56, 58 and 60. Each chamber 56, 58 and 60 carries a different color ink therein so that full color printing can be achieved by the print head chip 52. Each

chamber 56, 58 and 60 houses a damping means in the form of a sponge 62, 64 and 66, respectively, therein for damping movement of ink within the chambers 56, 58 and 60.

An end wall 68 of the carrier 50 has labyrinthine openings 70 defined therein. These openings 70 are exposed by removal of a seal 72 when it is desired to refill the chambers 56, 58 and 60. Accordingly, to refill the chambers 56, 58 and 60, a plug 74 is removed. The plug 74 has three prongs 76. Each prong 76 closes off an inlet port to one of the chambers 56, 58 and 60. Accordingly, ink is charged into each of the chambers. For example, cyan ink may be received in the chamber 56, magenta ink may be received in the chamber 58 and yellow ink may be received in the chamber 60. Once the chambers 56, 58 and 60 have been charged with new ink, the plug 74 is replaced and a new seal 72 is applied to cover the openings 70.

The refilling of the ink cartridge is shown at step 78 in Figure 1 of the drawings.

The replenished camera, without the case, is then ready for testing (step 80 in Figure 1).

The caseless camera, as shown in Figure 5 of the drawings, is then tested by the automatic test routine. In particular, the camera is tested to ensure paper feed and ink flow. Most importantly, the camera is tested to ensure that it has been replenished by an authorised refilling station to ensure that a camera of the required quality is put on to the market. The camera includes an image processing chip 82. Part of the image processing chip 82 has the authentication program contained therein which authenticates that the refurbishing station is authorised (step 84 in Figure 1). Should the chip 82 determine that the refurbishing station is unauthorised, the chip 82 renders the refurbished camera inoperative.

The part of the image processing chip 82 which includes the authentication program is a flash memory. The flash memory is used to store a 128 bit authentication code. This provides higher security than storage of the authentication code in ROM as reverse engineering can be made essentially impossible. The flash memory is completely covered by third level metal, making the data almost impossible to extract using scanning probe microscopes or electron beams. The authentication code is stored in the chip when manufactured. At least two other flash bits are required for the authentication process: a bit which locks out re-programming of the authentication code and a bit which indicates that the camera has been refilled by an authenticated refill station.

This data are used by a central processing unit of the chip 82 to effect encrypted authentication of the refill station.

The authentication station communicates with the chip 82 via a standard joint test action group (JTAG) interface. This interface also is provided for the testing routine.

To ensure that the cameras are only refilled with quality print media and ink at a properly authorised refill station, the camera 12 authenticates the refill station rather than vice versa. The secure protocol is communicated to the refill station during the automated test procedure via the interface when the new ink is inserted into the cartridge 48.

Authentication

Existing solutions to the problem of authenticating consumables have typically relied on physical patents on packaging. However this does not stop home refill operations or clone manufacture in countries with weak industrial property protection. Consequently a much higher level of protection is required. It is not enough to provide an authentication method that is secret, relying on a home-brew security method that has not been scrutinized by security experts. Security systems such as Netscape's original proprietary system and the GSM Fraud Prevention Network used by cellular phones are examples where design secrecy caused the vulnerability of the security. Both security systems were broken by conventional means that would have been detected if the companies had followed an open design process. The solution is to provide authentication by means that have withstood the scrutiny of experts. A number of protocols that can be used for consumables authentication. We only use security methods that are publicly described, using known behaviors in this new way. For all protocols, the security of the scheme relies on a secret key, not a secret algorithm. All the protocols rely on a time-variant challenge (i.e. the challenge is different each time), where the response depends on the challenge and the secret. The challenge involves a random number so that any observer will not be able to gather useful information about a subsequent identification. Two protocols are presented for each of Presence Only Authentication and Consumable Lifetime Authentication. Although the protocols differ in the number of Authentication Chips required for the authentication process, in all cases the System authenticates the consumable. Certain protocols will work with either one or two chips, while other protocols only work with two chips. Whether one chip or two

Authentication Chips are used the System is still responsible for making the authentication decision.

Single Chip Authentication

When only one Authentication chip 53 is used for the authentication protocol, a single chip (referred to as ChipA) is responsible for proving to a system (referred to as System) that it is authentic. At the start of the protocol, System is unsure of ChipA's authenticity. System undertakes a challenge-response protocol with ChipA, and thus determines ChipA's authenticity. In all protocols the authenticity of the consumable is directly based on the authenticity of the chip, i.e. if ChipA is considered authentic, then the consumable is considered authentic. The data flow can be seen in Fig. 9. In single chip authentication protocols, System can be software, hardware or a combination of both. It is important to note that System is considered insecure – it can be easily reverse engineered by an attacker, either by examining the ROM or by examining circuitry. System is not specially engineered to be secure in itself.

Double Chip Authentication

In other protocols, two Authentication Chips are required as shown in Fig. 10. A single chip (referred to as **ChipA**) is responsible for proving to a system (referred to as **System**) that it is authentic. As part of the authentication process, System makes use of a <u>trusted</u> Authentication Chip (referred to as **ChipT**). In double chip authentication protocols, System can be software, hardware or a combination of both. However ChipT must be a physical Authentication Chip. In some protocols ChipT and ChipA have the same internal structure, while in others ChipT and ChipA have different internal structures.

Presence Only Authentication (Insecure State Data)

For this level of consumable authentication we are only concerned about validating the presence of the Authentication chip 53. Although the Authentication Chip can contain state information, the transmission of that state information would not be considered secure.

Two protocols are presented. Protocol 1 requires 2 Authentication Chips, while Protocol 2 can be implemented using either 1 or 2 Authentication Chips.

Protocol 1

Protocol 1 is a double chip protocol (two Authentication Chips are required). Each Authentication Chip contains the following values:

- 11 -

- K Key for FK[X]. Must be secret.
- R Current random number. Does not have to be secret, but must be seeded with a different initial value for each chip instance. Changes with each invocation of the Random function.

Each Authentication Chip contains the following logical functions:

Random[] Returns R, and advances R to next in sequence.

F[X] Returns F_K[X], the result of applying a one-way function F to X based upon the secret key K.

The protocol is as follows:

System requests Random[] from ChipT;

ChipT returns R to System;

System requests F[R] from both ChipT and ChipA;

ChipT returns FKT[R] to System;

ChipA returns FKA[R] to System;

System compares F_{KT}[R] with F_{KA}[R]. If they are equal, then ChipA is considered valid. If not, then ChipA is considered invalid.

The data flow can be seen in Fig. 169. The System does not have to comprehend $F_K[R]$ messages. It must merely check that the responses from ChipA and ChipT are the same. The System therefore does not require the key. The security of Protocol 1 lies in two places:

The security of F[X]. Only Authentication chips contain the secret key, so anything that can produce an F[X] from an X that matches the F[X] generated by a trusted Authentication chip 53 (ChipT) must be authentic.

The domain of R generated by all Authentication chips must be large and nondeterministic. If the domain of R generated by all Authentication chips is small, then there is no need for a clone manufacturer to crack the key. Instead, the clone manufacturer could incorporate a ROM in their chip that had a record of all of the responses from a genuine chip to the codes sent by the system. The Random function does not strictly have to be in the Authentication Chip, since System can potentially generate the same random number sequence. However it simplifies the design of System and ensures the security of the random number generator will be the same for all implementations that use the Authentication Chip, reducing possible error in system implementation.

Protocol 1 has several advantages:

K is not revealed during the authentication process

- Given X, a clone chip cannot generate $F_K[X]$ without K or access to a real Authentication Chip.
- System is easy to design, especially in low cost systems such as ink-jet printers, as no encryption or decryption is required by System itself.
- A wide range of keyed one-way functions exists, including symmetric cryptography, random number sequences, and message authentication codes.
- One-way functions require fewer gates and are easier to verify than asymmetric algorithms).
- Secure key size for a keyed one-way function does not have to be as large as for an asymmetric (public key) algorithm. A minimum of 128 bits can provide appropriate security if F[X] is a symmetric cryptographic function.

However there are problems with this protocol:

- It is susceptible to chosen text attack. An attacker can plug the chip into their own system, generate chosen Rs, and observe the output. In order to find the key, an attacker can also search for an R that will generate a specific F[M] since multiple Authentication chips can be tested in parallel.
- Depending on the one-way function chosen, key generation can be complicated. The method of selecting a good key depends on the algorithm being used. Certain keys are weak for a given algorithm.
- The choice of the keyed one-way functions itself is non-trivial. Some require licensing due to patent protection.

A man-in-the middle could take action on a plaintext message M before passing it on to ChipA – it would be preferable if the man-in-the-middle did not see M until after ChipA had seen it. It would be even more preferable if a man-in-the-middle didn't see M at all. If F is symmetric encryption, because of the key size needed for adequate security, the chips could not be exported from the USA since they could be used as strong encryption devices. If Protocol I is implemented with F as an asymmetric encryption algorithm, there is no advantage over the symmetric case – the keys needs to be longer and the encryption

algorithm is more expensive in silicon. Protocol 1 must be implemented with 2 Authentication Chips in order to keep the key secure. This means that each System requires an Authentication Chip and each consumable requires an Authentication Chip.

Paper, from the supply 16, is wound about a platten 86 (Figure 6). In normal use, the platten 86 has a paper cutting mechanism 88 thereon which, once an image has been printed on the paper and the paper has been fed out of an ejection slot 90 (Figure 8) of the rear cover or shell 22 of the casing 18, cuts that piece from the remainder of the supply 16. The cutting mechanism 18 includes a pawl 92 which engages ratchet-like teeth 94 of an exposure counter 96 during the cutting operation to advance the counter by one.

Should the chip 82 determine that the refurbishing station is an authorised station, the counter 96 is reset as shown at step 98 in Figure 1 of the drawings.

Due to the digital processing of images sensed by the image sensor 28 of the camera 12, it is possible for special effects to be imparted to those images. Accordingly, special types of cameras may be made available, such as for the production of sepia colored photographs, multiple passport type photographs, photographs relating to special events such as weddings, special sporting events, or the like. This modification of the standard image is effected by the image processing chip 82. Such special types of cameras are identifiable as such by means of an appropriately marked sleeve 24. When, however, the cameras are refurbished, the image processing chip 82 is reset to a standard type as shown at step 100 by the refurbishing station.

The refurbishing and replenishing of the camera is then completed and the final step involves the insertion of the new chassis 38, with its components, into a new front cover 20 of the casing 12 and the attachment of a rear cover or lid 22. The lid 22 clips to the front cover 20 and is also bonded thereto so that should an attempt be made to open the casing 18, this will result in the destruction of the casing 18.

A new sleeve 24 is applied to the casing 18. The sleeve 24 is held in position by a slot surround 102.

The steps of attaching a new case 18 and applying the label or sleeve 24 are shown at 104 and 106, respectively, in Figure 1 of the drawings.

The refurbished camera 12 is packed (step 108 in Figure 1) and shipped (step 110 in Figure 1) to retailers.

Accordingly, a camera exchange system and method of exchanging cameras are provided which enables instant printing, digital cameras to compete with conventional film, one-time use cameras both in so far as costs of the cameras and costs of each exposure are concerned. Further, by authenticating the refilling station, quality control can be maintained to ensure that the quality of exposures obtained by consumers is of a satisfactory quality.

It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

WE CLAIM:

1. A camera exchange system which includes

a plurality of one-time use, digital cameras, each camera including an authentication means; and

at least one refurbishing station for refurbishing used, returned cameras by replenishing consumables of each of said returned cameras, the authentication means of each camera authenticating whether or not said at least one refurbishing station is authorised to effect refurbishing of said camera.

- The system of claim 1 in which each camera retails at a price of X currency, each
 camera costing approximately Y currency units to manufacture, where Y is less than 0.5X.
- 3. The system of claim 2 which includes

at least one collection depot where a user can return a used one of the cameras for a refund; and

a plurality of refurbishing stations operated by a manufacturer for receiving the used cameras from said at least one collection depot, each station being able to be authenticated by said used camera, to replenish the consumables of said used camera to enable a refurbished camera to be re-sold at X currency units, and the cost to said manufacturer to refurbish the camera being Z currency units.

- The system of claim 3 in which the refund is approximately 0.25X.
- 5. The system of claim3 in which Z is approximately 0.03X.
- The system of claim 1 in which a selling price of either one of a new and a refurbished camera by the manufacturer is approximately 0.5X.
- The system of claim 1 in which, for a return for refund rate of approximately 90% of the cameras, a total gross margin as a percentage of sales exceeding 75% is achieved.

- The system of claim 1 in which a cost to the user of each photo processed by the camera is less than 0.05X if the user returns a used camera for refund.
- A method of exchanging cameras which includes the steps of: providing a plurality of one-time, use digital cameras, each camera containing consumables which are consumed by use of the camera;

receiving returned, used cameras to be refurbished by replenishment of the consumables to provide refurbished cameras; and

authenticating, via each of said returned cameras, that a refurbishing station at which said camera is refurbished is authorised to effect refurbishing of said camera.

- 10. The method of claim 9 which includes rendering a camera refurbished by an unauthorised refurbishing station inoperative.
- 11. The method of claim 10 which includes carrying out a test routine after refurbishing to determine if the refurbished camera is operative.
- 12. The method of claim 9 which includes

selling each camera at a retail price of approximately X currency units, each camera costing approximately Y currency units to manufacture where Y is less than 0.5X;


refunding an amount for the return of a used camera; and refurbishing each returned, used camera at a cost to a refurbisher of Z currency units.


- 13. The method of claim 12 which includes refunding an amount of approximately 0.25X for the return of a used camera
- 14. The method of claim 12 in which Z is approximately 0.03X.
- 15. The method of claim 12 which includes supplying refurbished cameras to a retailer at a cost of approximately 0.5X currency units.

ABSTRACT


A camera exchange system includes a plurality of one-time use, digital cameras. Each camera includes an authentication device. The system includes at least one refurbishing station for refurbishing used, returned cameras by replenishing consumables of each of said returned cameras. The authentication device of each camera authenticates whether or not the refurbishing station is authorised to effect refurbishing of the camera.


Fig. 1








76.2

















FIG. 9




FIG. 10

leas	e type a plus sign (+) inside Under the Paperwork Re- a valid OMB control numl	duction Ac	_	Patent and Traden	nark Office; U.S	B. DEPA	h 9/30/00. O	SB/01 (12-97) MB 0651-0032 F COMMERCE ess it contains	•		
				Attorney Doci	et Number	IR2	25US				
D	ECLARATION	FOR	UTILITY OR	First Named I	nventor	KIA	A SILVER	BROOK			
	PATENT A		ATION		COMPLETE IF KNOWN						
	(37 CF			Application Nu	mber				_		
_	,	Filing Date									
וצו	Declaration Submitted OR	☐ Decl Subi	laration mitted after Initia	al Group Art Unit							
	with Initial Filing		g (surcharge CFR 1.16 (e)) iired)	Examiner Nan	_				_		
_									_		
Г	As a below named inven	tor, I her	eby declare that:								
١	My residence, post office										
ı	I believe I am the original, names are listed below) o	first and :	sole inventor (if only ect matter which is cl	one name is listed belo laimed and for which a	w) or an origina patent is sough	il, first a t on the	and joint inver invention en	ntor (if plural titled:			
	А	CAME	RA EXCHANG	GE SYSTEM AN	O METHO	5					
	the specification of which is attached hereto OR was filed on (MM/E			of the Invention)							
1		/D/1111,				lication	Number or m	CT Internationa			
	Application Number	eviewed a		s amended on (MM/DD contents of the above ide	,	etion, in	activiting the c	(if applicable).		
ı	amended by any amendme	ent specifi	ically referred to above	we.				aanno, au			
L	I acknowledge the duty to	Jisclose ir	iformation which is m	naterial to patentability a	is defined in 37	CFR 1	.56.				
A	hereby claim foreign prior ertificate, or 365(a) of any merica, listed below and ha r of any PCT international a	/ PCT inte ave also is	ernational application dentified below, by cl	n which designated at I shecking the box, any fo	east one coun reign application	try othe in for pa	er than the U atent or inven	nt or inventor's Inited States of Itor's certificate,			
Ľ	Prior Foreign Application Number(s)		Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claim		Certified Co YES	py Attached? NO	_		
					0000		0000	0000			
E	Additional foreign applic	ation num	bers are listed on a :	supplemental priority da	ita sheet PTO/	SB/02B	attached her	reto:	_		
	I hereby claim the benefit	under 35	U.S.C. 119(e) of any	United States provision					_		
	Application Number	<u>'(s)</u>	Filing Date	(MM/DD/YYYY)	nu suj	mbers ppleme	are listed o	data sheet			

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer. Plants and Trademark Office, Washington, Oc 20231. Do NOT SEND PEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patients, Washington, Oc 2023.

Please type a plus sign (+) inside this box>														
DEC	CLA	RATIC	N	- U1	tilit	y or	De	sig	n l	Pate	nt /	۱pp	licatio	n
I hereby claim United States United States of information who and the nations	of Americ or PCT Int ich is mat	a, listed below emational app terial to patent	and, ins lication in ability as	ofar as the ma defined	the sub nner pro in 37 C	Ject matte ovided by to FR 1.56 v							application des not disclosed wledge the duty ate of the pnor	
U.	U.S. Parent Application or PCT Parent Number Parent Filing Date (MM/DD/YYYY) (if applicable)													
The second secon														
As a named inv													02B attached h	
and Trademark	Office co	nnected there	vith:	Custon OR	ner Num	ober ctitioner(s)						٠ [Place Custo Number Bar Label he	omer Code
	Name			Γ	Regis	tration				Nam				stration
						Registere	d Pra	ctitioner	Infor	nation sh	eet PTO	SB/020	attached here	to.
Direct all corr	responde	ence to: 🔀	Custom or Bar			24	011			OR	□ c	rrespo	ondence add	ress below
Name	Kia S	ilverbrook												
Address	Silve	rbrook Re	search	Pty L	.td									
Address	393 [Darling Str	eet											
City	Balm	ain						State	NS	5W	ZIP	204	1	
Country	Austr	alia		Te	elepho	ne 61-2	-9818-6633 Fax 6				61-2	1-2-9818-6711		
believed to be	true; and	further that in prisonment, o	hese stat ir both, u	ements	were n	dtiw eben	the kr	nowledge	a that	t willful fa	ise state	ments	information an and the like s pardize the va	are abem c
Name of S	ole or F	irst Invent	or:					A petiti	ion h	as been	filed fo	r this u	ınsigned inve	ntor
G	iven Nar	ne (first and	middle ji	f any])						Famil	y Name	or Su	rname	
	KIA			_						SILV	'ERBF	ROOK	<	
Inventor's Signature		U	W.	2_			_						Date	Sept. 12, 200 Austra-
Residence:	City	Balmain			State	NSW	L	Country		Austral	ia		Citizenship	lian
Post Office A	Address	393 Darl	ng Stre	eet										
Post Office A	Address													
City		Balmain	State	NS	Ν	ZIF	,	2041			Cou	ntry	Australia	а